

JARAMOGI OGINGA ODINGA UNIVERSITY OF SCIENCE AND TECHNOLOGY SCHOOL OF BIOLOGICAL AND PHYSICAL SCIENCES UNIVERSITY EXAMINATION FOR THEDEGREE OF BACHELOR OF EDUCATION (SCIENCE)

2ND YEAR 1ST SEMESTER 2013/2014 ACADEMIC YEAR

MAIN

COURSE CODE: SCH 202

COURSE TITLE: INORGANIC CHEMISTRY I

EXAM VENUE :LAB 3 STREAM: (Biological Sciences)

DATE: 25/04/14 EXAM SESSION: 11.30 – 1.30 PM

TIME: 2.00 HOURS

Instructions:

- 1. Answer ALL Questions in Section A and ANY other 2 questions in Section B
- 2. Candidates are advised not to write on the question paper.
- 3. Candidates must hand in their answer booklets to the invigilator while in the examination room.

Useful information:

Constant A = 2.18 x 10⁻¹⁸ J Planck's constant, h = 6.625 x 10⁻³⁴ Js Mass of an electron, m = 9.11 x 10⁻³¹ kg Speed of light, C = 3.0 x 10⁸ ms⁻¹ Reydenerg's constant, R_H = 109678 cm⁻¹

Section A

Question 1

a) Briefly explain each of the following terms:

(7 marks)

- i. Energy quantization
- ii. Work function
- iii. Electromagnetic series
- iv. Angular momentum
- v. Heisenberg's uncertainty principle
- vi. Spherical harmonics
- vii. Lattice energy
- b) Briefly explain the term moments of inertia.

(2 marks)

- c) Briefly discuss de Broglie's postulates about the wave nature of matter. (4 marks)
- d) Draw the crystal rutile structure and use it to work out the formula of titanium oxide.

(5 marks)

e) The time-independent Schrödinger wave equation is given by:

$$\nabla^{2\Psi(x,y,z)} + \frac{8\pi^2 m}{h^2} (E - V)\Psi(x,y,z) = 0$$

i. Define all the terms.

(3 marks)

ii. Write the corresponding Schrödinger wave equation for a hydrogen atom

(3 marks)

f) Write Albert Einstein's relativity equation and define all the terms

(2 marks)

g) Sketch each of the following orbitals:

i. dxz (2 marks) ii. dz^2 (2 marks)

Section B:

Question 2 (20 marks)

- a) Identify the main shortcomings of classical physics at the turn of the 20th century, which lead to the development of the quantum mechanics (2 marks)
- b) Show that the angular velocity for any stable orbit is $\omega = \frac{v}{r}$, where, v is linear velocity and r is the radius. (4 marks)

- c) For the species NO⁺:
 - i. Draw the molecular orbital energy level diagram (6 marks)
 - ii. Write the electronic configuration (1 mark)
 - iii. Calculate the magnetic moments and the bond order (2 marks)
- d) By using appropriate illustration(s), briefly explain the term spherical polar coordinates (3

marks)

Question 3 (20 marks)

- a) Outline the general characteristics of waves (4 marks)
- b) Work out and sketch p_v -orbitals. (5 marks)
- c) For a neutral and stable atom with nuclear charge +Ze and electronic charge, e-, show that the total energy holding an electron with electronic charge, e, in a stable orbit of radius, r, about the nucleus of charge, +Ze, is given by, $E = -\frac{1}{2} \cdot \frac{Ze}{r}$.

(8 marks)

d) Explain the main contribution of the Rutherford-Geiger Experiment in the modern understanding of the structure of the atom. (3 marks)

Question 4 (20 marks)

- a) Briefly discuss classification of molecular orbitals according to the molecular orbital theory (4 marks
- b) With the aid of a well labeled diagram, illustrate the production and measurement of photoelectrons (6 marks)
- c) What is the momentum and the corresponding de Broglie wavelength of electron when the accelerating voltage is 56 V? (9 marks)
- d) Although copper (Z=29) and zinc (Z=30) both have $3d^{10}$ configurations, copper in normally classified as a transition element but zinc is sometimes classified with mainblock elements. Briefly explain. (1 mark)

Question 5 (20 marks)

- a) Write the Reydeberg's formular and define all the terms involved. (3 mark)
 - i. Determine the wavelength of radiation emitted when a hydrogen electron moves from the second energy level to the first energy level (3 marks)
 - ii. Identify the series of emission in question 5. a) i. above (1 mark)
- b) Suppose the velocities of an electron (mass= $9.11 \times 10^{-31} \text{ kg}$) and that of a rifle bullet (mass 0.03 kg) are each measured with uncertainties of $\Delta v = 10^{-3} \text{ ms}^{-1}$, what is the minimum uncertainties in their positions according to the uncertainty principles? (9 marks)
- c) Briefly explain the quantum numbers that characterize the position of an electron in the atom (4 marks)