



MASENO UNIVERSITY
UNIVERSITY EXAMINATIONS 2015/2016

**FIRST YEAR FIRST SEMESTER EXAMINATIONS FOR THE
DEGREE OF MASTER OF SCIENCE IN PHYSICS**

MAIN CAMPUS

SPH 802: CLASSICAL MECHANICS

Date: 15th December, 2015

Time: 9.00 - 12.00noon

INSTRUCTIONS:

- Answer any THREE Questions.



Q1. Obtain the Lagrangian equations of motion for a spherical pendulum, i.e., a mass point suspended by a rigid weightless rod. (20M)

Q2. a) Consider the harmonic oscillator with the coordinates p, q , the kinetic and potential energy are given by (8M)

$$T = \frac{p^2}{2m}, \quad V = \frac{kq^2}{2} = \frac{m\omega^2 q^2}{2}, \quad \omega^2 = \frac{k}{m}$$

Find the

- i) Lagrangian,
- ii) Hamiltonian

b) The generating function for the transformation is given as (12M)

$$F_1(q, Q) = \frac{m}{2} \omega q^2 \cot Q$$

Find expressions for

- i) p and P
- ii) Obtain the new Hamiltonian \mathcal{H}
- iii) Which coordinate is cyclic?
- iv) Does q depend on time.

- Q3. According to Yukawa's theory of nuclear forces, the attractive force between a neutron and a proton has the potential **(20Mks)**

$$V(r) = \frac{Ke^{-\alpha r}}{r}, \quad K < 0.$$

- Find the force, and compare it with an inverse square law of force.
 - Discuss the types of motion which can occur if a particle of mass m moves under such a force.
 - Discuss how the motions will be expected to differ from the corresponding types of motion for an inverse square law of force.
 - Find L and E for motion in a circle of radius a .
 - Find the period of circular motion and the period of small radial oscillations.
 - Show that the nearly circular orbits are almost closed when a is very small.
- Q4. a) What are the principle aims of transformation theory? **(2Mks)**
- b) Show that the transformation **(8Mks)**
- $$Q = \ln\left(\frac{\sin p}{q}\right), P = q \cot p$$
- is canonical
- c) Determine the generating functions $F_1(Q, q)$ and $F_2(P, q)$. **(10Mks)**
- Q5. Let a particle of mass m move in a force field that in spherical coordinates has the form $V = -K \cos \theta / r^2$. Write down the Hamilton-Jacobi differential equation for the particle motion. **(20Mks)**